

## Zarexir International Espadana

https://www.zarexir-international.com/

## CONTENT

Company Profile

A brief look

02

**Producers** 

Overview

03

**Supply and Products** 



# Company Profile

Zarexir Espadana Co. is a holding Company that was established in 2018 with the aim of providing specialized services of business consulting, importing goods from Europe, importing goods from China, air freight and sea freight as well as business services. Zaraxir Epadana Co. has gained a significant share of the market of import services in various industries, including chemical, and petrochemical industries for supplying all kinds of stainless steel, pumps, industrial valves, and flanges. We also export, Dried fruit, and saffron in In the food export department. Moreover, we export Persian machine-made carpets The Technical department has contacts with the best steel casting, industrial rubber producers, skew rolling and continues casting.

#### **Cement**

7%



#### **Mining**

55%



# Me are Supplying

#### Rail way

13%



<u>Iron making and steel</u> <u>making Product</u>

25%





Flange Welding Neck 2-150 R 40



# Import-Different kind of Forged Carbon and Stainless Steel Forged Flanges

Weld Neck Flan Slip-On Flange Blind Flange Socket Flange

Material: ASTM A105
ASTM F182





# Import-Different kind of industrial Valves Products



Gate Valves
Check Valves
Globe Valves
Ball valves
Selonoeid Valves

#### Import-Stainless Steel and Heat Resistance Stainless Steel



- > Plate
- Pipe
- > Coil

Grades:304SS, 316 SS, 321SS, 310SS &310S

From famous company:

Outokumpu Tisco





Our Suppliers have been awarded for best quality and increasing life time of industrial parts for many times



#### **Import-Different Types of Pump**

- > Verder
- Wilden
- > KSB

From famous company: In Europe





Wide application Chemical, Parmaceutical, Biological, Food, Oil and Gas industries

Our Suppliers have been awarded for best quality and increasing life time of industrial parts for many times



Import-Centrifuge: As a high efficiency, high output, high automation and high-speed precision separation equipmen.

- 2-Phase seperation Centrifuge
- > 3- Phase seperation Cetrifuge
- > Tubular Cetrifuge
- Medical Centifuge
- > PRP Centrifuge





Wide application Chemical, Parmaceutical, Biological, Food, water treatmet

Our Suppliers have been awarded for best quality and increasing life time of industrial parts for many times



#### **Import-Ceramic Membrane**





For Food, Pharmicetiucal, Chemical, Steel industries



#### Tubular Ceramic Membrane List

1. Outside Specifications

| Model    | Geometry                               | OD<br>(mm) | Chanel<br>No. | ID<br>(mm) | Mem<br>Area<br>(m2) | Length<br>(mm) | Cross-<br>section<br>Area<br>mm2 |
|----------|--|------------|---------------|------------|---------------------|----------------|----------------------------------|
| CFC25-7  | 25. 5                                  | 25.5       | 7             | 6.0        | 0.157               | 1178           | 197.8                            |
| CFC25-19 | 25.5                                   | 25.5       | 19            | 3.5        | 0.246               | 1178           | 182.7                            |
| CFC25-27 | 25.5                                   | 25.5       | 27            | 2.8        | 0.310               | 1178           | 186.3                            |
| CFC30-9  | 30.0                                   | 30.0       | 9             | 7.0        | 0.257               | 1200           | 355.6                            |
| CFC30-19 | 30.0                                   | 30.0       | 19            | 4.0        | 0.286               | 1200           | 238.6                            |
| CFC30-37 | 30.0                                   | 30.0       | 37            | 2.8        | 0.420               | 1200           | 290.0                            |
| CFC40-19 | 40.0                                   | 40.2       | 19            | 6.0        | 0.430               | 1200           | 536.9                            |
| CFC40-37 | 00000000000000000000000000000000000000 | 40.2       | 37            | 4.0        | 0.557               | 1200           | 464.7                            |



| CFC38-19 | 38.0 | 38.0 | 19 | 6.0 | 0.430 | 1200 | 536.9 |
|----------|------|------|----|-----|-------|------|-------|
| CFC38-37 | 38.0 | 38.0 | 37 | 4.0 | 0.557 | 1200 | 464.7 |
| CFC38-27 | 38.0 | 38.0 | 27 | 5.5 | 0.550 | 1200 | 565.0 |

#### 2. Filtration Accuracy

| Item              | Parameters       |
|-------------------|------------------|
| MF Pore Size (nm) | 1000、500、200、100 |
| UF Pore Size (nm) | 50、30、20、10      |
| UF Extra (MWCO)   | 15 kD            |

#### 3. Performance Parameters

| Item                    | Parameters  |      |  |  |
|-------------------------|---|------|--|--|
| Suitable for pH Range   | Acid ≤40% Strong Acid(Except for HF); Alkali ≤40%NaOH |      |  |  |
|                         | Support Material: 99.7% α Al2O3                       |      |  |  |
| Membrane Materials      | MF Membrane: 99.995% α Al2O3                          |      |  |  |
| Wembrane Waterland      | UF Membrane: 99.99% ZrO2/99.95%TiO2                   |      |  |  |
| Corrosion Weight Loss   | ≤0.5%   |      |  |  |
| Organic Solvent         | Not Sensitive   |      |  |  |
| Operation Temperature ℃ | <150;   |      |  |  |
| Heat Rate °C /min       | ≤30   |      |  |  |
| Operation Pressure Bar  | ≤10   |      |  |  |
|                         | 1000nm  | ≥5.0 |  |  |
| Pure Water Flux         | 500nm   | ≥3.5 |  |  |
| m3·m-2·h-1              | 200nm   | ≥2.2 |  |  |



|  | 100nm | ≥1.6  |
|--|-------|-------|
| Testing Condition:   | 50nm  | ≥0.7  |
| W-5  | 30nm  | ≥0.5  |
| RO water,<br>temperature at 28℃,<br>trans-membrane pressure<br>0.15Mpa | 20nm  | ≥0.4  |
| 0.15Mpa  | 10nm  | ≥0.3  |
|  | 15kD  | ≥0.15 |

#### 4. Reference Pictures











#### Import-Mass flow meters from Famous Brand

- Alicat
- Bronkhorst





### Oil& Gas, Chemical & Petrochemical



#### Import-Field Signal Indicators

To messure pressure, flow, liquid level or temperature

Emerson



### Oil& Gas, Chemical & Petrochemical

### Zarexir international

Address:, Falatoori Street, Raze Gol Boulevard, Raze Gol Complex, Second floor,

Isfahan, Iran.

Postal Code: 8153985496

WhatsApp: +989120612898

Mobile: +989338884323

Email: import@zarexir-intenational.com/export@zarexir-international.com

www. zarexir-intenational.com